

AmberHeat (Stroud) Ltd


Safety Inspection and reporting carried out in accordance with the Gas Safety (Installation and Use) Regulations and the Gas Industry Unsafe Situations Procedure.

Company / Installer		Job Address		Customer / Landlord	
Engineer	Darren Hall	Name		Name	Mr David Michael
Company	AmberHeat (Stroud) Ltd	Address	3	Company	
Address	45 Gerald's Way		Coflats	Address	16
	Chalford		Sladbrook		Springhill
	Stroud		Stroud		Stroud
	Glos	Post Code	GL5 1QA		Glos
Post Code	GL6 8FJ	Tel. No		Post Code	GL5 1TN
Tel No.	07779284403			Tel. No	
Gas Safe Reg	546423				
ID Card No.					

Appliance Details										Inspection Details											
No	Location	Appliance Type	Make	Model	Flue Type	Landlord's Appliance	Appliance Inspected	Operating Pressure (mbar)	Heat Input (kW/h)	High Combustion Reading			Low Combustion Reading			Safety device(s) correct operation	Ventilation Provision satisfactory	Visual condition of flue and termination satisfactory	Flue Performance test	Appliance Serviced	Appliance safe to use
										Ratio	CO ppm	CO2 %	Ratio	CO ppm	CO2 %						
1	Hall	Boiler	Worcester	Greenstar 24i Junior	RS	Yes	Yes	NA	23.74	.0010	86	9.8		4	8.8	Yes	Yes	Yes	Pass	Yes	Yes
2																					
3																					
4																					
5																					

Defects / Identified					Labels and Warning Notice Issued			CO Alarm(s)		Smoke Alarm(s)	
1					No			CO Alarm(s) fitted	No	Smoke Alarm(s) fitted	Yes
2								CO Alarm(s) tested and Satisfactory	NA	Smoke Alarm(s) tested and Satisfactory	Pass
3											
4											
5											

Emergency Control Accessible <input checked="" type="checkbox"/>	Gas Tightness Satisfactory <input checked="" type="checkbox"/>	Comments
Gas Installation Pipework Visual Inspection Satisfactory <input checked="" type="checkbox"/>		
Gas Inlet Working Pressure at the Meter _____ mbars		
Number of Appliances Tested 1 Equipotential Bonding <input checked="" type="checkbox"/>		
NEXT INSPECTION DUE ON OR BEFORE 12-Jun-2018		

Signatures		Date	
Issued by: Signed 	Received Signed _____	Date	13-Jun-2017
Print Name <input type="text" value="Darren Hall"/>	Print Name <input type="text" value="Key address"/>		

Safety Inspection and reporting carried out in accordance with the Gas Safety (Installation and Use) Regulations and the Gas Industry Unsafe Situations Procedure.



AmberHeat (Stroud) Ltd

Company / Installer		Job Address		Customer / Landlord	
Engineer	Darren Hall	Name		Name	Mr David Michael
Company	AmberHeat (Stroud) Ltd	Address	7	Company	
Address	45 Gerald's Way		Coflats	Address	16
	Chalford		Sladbrook		Springhill
	Stroud		Stroud		Stroud
	Glos	Post Code	GL5 1QA		Glos
Post Code	GL6 8FJ	Tel. No		Post Code	GL5 1TN
Tel No.	07779284403			Tel. No	
Gas Safe Reg	546423				
ID Card No.					

Appliance Details										Inspection Details											
No	Location	Appliance Type	Make	Model	Flue Type	Landlord's Appliance	Appliance Inspected	Operating Pressure (mbar)	Heat Input (kW/h)	High Combustion Reading			Low Combustion Reading			Safety device(s) correct operation	Ventilation Provision satisfactory	Visual condition of flue and termination satisfactory	Flue Performance test	Appliance Serviced	Appliance safe to use
										Ratio	CO ppm	CO2 %	Ratio	CO ppm	CO2 %						
1	Eves	Boiler	Worcester	Greenstar 24i Junior	RS	Yes	Yes	NA	23.74	.0008	72	9.8		4	8.8	Yes	Yes	Yes	Pass	Yes	Yes
2																					
3																					
4																					
5																					

Defects / Identified					Labels and Warning Notice Issued			CO Alarm(s)		Smoke Alarm(s)	
1	C/o levels out Adjusted back to MFI				No			CO Alarm(s) fitted	No	Smoke Alarm(s) fitted	Yes
2								CO Alarm(s) tested and Satisfactory	NA	Smoke Alarm(s) tested and Satisfactory	Pass
3											
4											
5											

Emergency Control Accessible <input checked="" type="checkbox"/>	Gas Tightness Satisfactory <input checked="" type="checkbox"/>	Comments
Gas Installation Pipework Visual Inspection Satisfactory <input checked="" type="checkbox"/>		
Gas Inlet Working Pressure at the Meter _____ mbars		
Number of Appliances Tested 1 Equipotential Bonding <input checked="" type="checkbox"/>		
NEXT INSPECTION DUE ON OR BEFORE 12-Jun-2018		

Signatures		Date	
Issued by: Signed 	Received Signed 	Date	13-Jun-2017
Print Name: Darren Hall	Print Name: Key address		

AmberHeat (Stroud) Ltd


Safety Inspection and reporting carried out in accordance with the Gas Safety (Installation and Use) Regulations and the Gas Industry Unsafe Situations Procedure.

Company / Installer		Job Address		Customer / Landlord	
Engineer	Darren Hall	Name		Name	Mr David Michael
Company	AmberHeat (Stroud) Ltd	Address	1	Company	
Address	45 Gerald's Way		Coflats	Address	16
	Chalford		Sladbrook		Springhill
	Stroud		Stroud		Stroud
	Glos	Post Code	GL5 1QA		Glos
Post Code	GL6 8FJ	Tel. No		Post Code	GL5 1TN
Tel No.	07779284403			Tel. No	
Gas Safe Reg	546423				
ID Card No.					

Appliance Details										Inspection Details											
Location	Appliance Type	Make	Model	Flue Type	Landlord's Appliance	Appliance Inspected	Operating Pressure (mbar)	Heat Input (kW/h)	High Combustion Reading			Low Combustion Reading			Safety device(s) correct operation	Ventilation Provision satisfactory	Visual condition of flue and termination satisfactory	Flue Performance test	Appliance Serviced	Appliance safe to use	
									Ratio	CO ppm	CO2 %	Ratio	CO ppm	CO2 %							
1 Bedroom Compartment	Boiler	Worcester	Greenstar 24i Junior	RS	Yes	Yes	NA	23.74	.0009	92	9.4		4	8.8	Yes	Yes	Yes	Pass	Yes	Yes	
2																					
3																					
4																					
5																					

Defects / Identified	Labels and Warning Notice Issued	CO Alarm(s)	Smoke Alarm(s)
1	No		
2		CO Alarm(s) fitted	No
3			
4		CO Alarm(s) tested and Satisfactory	NA
5			
			Smoke Alarm(s) fitted
			Smoke Alarm(s) tested and Satisfactory

Emergency Control Accessible <input checked="" type="checkbox"/>	Gas Tightness Satisfactory <input checked="" type="checkbox"/>	Comments
Gas Installation Pipework Visual Inspection Satisfactory <input checked="" type="checkbox"/>		
Gas Inlet Working Pressure at the Meter <input type="text"/> mbars		
Number of Appliances Tested <input type="text" value="1"/> Equipotential Bonding <input checked="" type="checkbox"/>		
NEXT INSPECTION DUE ON OR BEFORE <input type="text" value="13-Jun-2018"/>		

Signatures		Date	
Issued by: Signed 	Received Signed by: <input type="text"/>	Date	<input type="text" value="14-Jun-2017"/>
Print Name <input type="text" value="Darren Hall"/>	Print Name <input type="text" value="Key address"/>		

Safety Inspection and reporting carried out in accordance with the Gas Safety (Installation and Use) Regulations and the Gas Industry Unsafe Situations Procedure.


AmberHeat (Stroud) Ltd

Company / Installer		Job Address		Customer / Landlord	
Engineer	Darren Hall	Name		Name	Mr David Michael
Company	AmberHeat (Stroud) Ltd	Address	2 coflats	Company	
Address	45 Gerald's Way		Sladbrook	Address	16
	Chalford		Stroud		Springhill
	Stroud		Glos		Stroud
	Glos	Post Code	GL5 1QA		Glos
Post Code	GL6 8FJ	Tel. No		Post Code	GL5 1TN
Tel No.	07779284403			Tel. No	
Gas Safe Reg	546423				
ID Card No.					

Appliance Details										Inspection Details												
Location	Appliance Type	Make	Model	Flue Type	Landlord's Appliance	Appliance Inspected	Operating Pressure (mbar)	Heat Input (kW/h)	High Combustion Reading			Low Combustion Reading			Safety device(s) correct operation	Ventilation Provision satisfactory	Visual condition of flue and termination satisfactory	Flue Performance test	Appliance Serviced	Appliance safe to use		
									Ratio	CO ppm	CO2 %	Ratio	CO ppm	CO2 %								
1	Landing	Boiler	Worcester	Greenstar 24i Junior	RS	Yes	Yes	NA	23.73	.0005	39	9.8		9	8.9	Yes	Yes	Yes	Pass	No	Yes	
2																						
3																						
4																						
5																						

Defects / Identified					Labels and Warning Notice Issued			CO Alarm(s)		Smoke Alarm(s)	
1					No			CO Alarm(s) fitted	No	Smoke Alarm(s) fitted	Yes
2								CO Alarm(s) tested and Satisfactory	NA	Smoke Alarm(s) tested and Satisfactory	Pass
3											
4											
5											

Emergency Control Accessible <input checked="" type="checkbox"/>	Gas Tightness Satisfactory <input checked="" type="checkbox"/>	Comments
Gas Installation Pipework Visual Inspection Satisfactory <input checked="" type="checkbox"/>		
Gas Inlet Working Pressure at the Meter _____ mbars		
Number of Appliances Tested 1 Equipotential Bonding <input checked="" type="checkbox"/>		
NEXT INSPECTION DUE ON OR BEFORE 13-Jun-2018		

Signatures		Date	
Issued by: Signed 	Received Signed _____	Date	14-Jun-2017
Print Name <input type="text" value="Darren Hall"/>	Print Name <input type="text" value="Key address"/>		

Safety Inspection and reporting carried out in accordance with the Gas Safety (Installation and Use) Regulations and the Gas Industry Unsafe Situations Procedure.



AmberHeat (Stroud) Ltd

Company / Installer		Job Address		Customer / Landlord	
Engineer	Darren Hall	Name		Name	Mr David Michael
Company	AmberHeat (Stroud) Ltd	Address	4 coflats	Company	
Address	45 Gerald's Way		Sladbrook	Address	16
	Chalford		Stroud		Springhill
	Stroud		Glos		Stroud
	Glos	Post Code	GL5 1QA		Glos
Post Code	GL6 8FJ	Tel. No		Post Code	GL5 1TN
Tel No.	07779284403			Tel. No	
Gas Safe Reg	546423				
ID Card No.					

Appliance Details										Inspection Details											
No	Location	Appliance Type	Make	Model	Flue Type	Landlord's Appliance	Appliance Inspected	Operating Pressure (mbar)	Heat Input (kW/h)	High Combustion Reading			Low Combustion Reading			Safety device(s) correct operation	Ventilation Provision satisfactory	Visual condition of flue and termination satisfactory	Flue Performance test	Appliance Serviced	Appliance safe to use
										Ratio	CO ppm	CO2 %	Ratio	CO ppm	CO2 %						
1	Eves	Boiler	Worcester	Greenstar 24i Junior	RS	Yes	Yes	NA	23.74	.0009	90	9.8		9	8.8	Yes	Yes	Yes	Pass	Yes	Yes
2																					
3																					
4																					
5																					

Defects / Identified					Labels and Warning Notice Issued			CO Alarm(s)		Smoke Alarm(s)	
1					No			CO Alarm(s) fitted	No	Smoke Alarm(s) fitted	Yes
2								CO Alarm(s) tested and Satisfactory	NA	Smoke Alarm(s) tested and Satisfactory	Pass
3											
4											
5											

Emergency Control Accessible <input checked="" type="checkbox"/>	Gas Tightness Satisfactory <input checked="" type="checkbox"/>	Comments
Gas Installation Pipework Visual Inspection Satisfactory <input checked="" type="checkbox"/>		
Gas Inlet Working Pressure at the Meter _____ mbars		
Number of Appliances Tested 1 Equipotential Bonding <input checked="" type="checkbox"/>		
NEXT INSPECTION DUE ON OR BEFORE 13-Jun-2018		

Signatures		Date	
Issued by: Signed 	Received Signed 	Date	14-Jun-2017
Print Name <input type="text" value="Darren Hall"/>	Print Name <input type="text" value="Key address"/>		

Safety Inspection and reporting carried out in accordance with the Gas Safety (Installation and Use) Regulations and the Gas Industry Unsafe Situations Procedure.

AmberHeat (Stroud) Ltd

Company / Installer		Job Address		Customer / Landlord	
Engineer	Darren Hall	Name		Name	Mr David Michael
Company	AmberHeat (Stroud) Ltd	Address	flat 5	Company	
Address	45 Gerald's Way		59 Lansdown	Address	16
	Chalford		Stroud		Springhill
	Stroud		Glos		Stroud
	Glos	Post Code	GL5 1BN		Glos
Post Code	GL6 8FJ	Tel. No		Post Code	GL5 1TN
Tel No.	07779284403			Tel. No	
Gas Safe Reg	546423				
ID Card No.					

Appliance Details										Inspection Details											
No.	Location	Appliance Type	Make	Model	Flue Type	Landlord's Appliance	Appliance Inspected	Operating Pressure (mbar)	Heat Input (kW/h)	High Combustion Reading			Low Combustion Reading			Safety device(s) correct operation	Ventilation Provision satisfactory	Visual condition of flue and termination satisfactory	Flue Performance test	Appliance Serviced	Appliance safe to use
										Ratio	CO ppm	CO2 %	Ratio	CO ppm	CO2 %						
1	Hall Cupboard	Boiler	Alpha	HE CB25	RS	Yes	Yes	NA	24.65	.0002	18	6.1		NA	NA	Yes	Yes	Yes	Pass	No	Yes
2																					
3																					
4																					
5																					

Defects / Identified					Labels and Warning Notice Issued			CO Alarm(s)		Smoke Alarm(s)	
1					No			CO Alarm(s) fitted	No	Smoke Alarm(s) fitted	Yes
2								CO Alarm(s) tested and Satisfactory	NA	Smoke Alarm(s) tested and Satisfactory	Pass
3											
4											
5											

Emergency Control Accessible Gas Tightness Satisfactory

Gas Installation Pipework Visual Inspection Satisfactory

Gas Inlet Working Pressure at the Meter _____ mbars



Number of Appliances Tested 1 Equipotential Bonding

NEXT INSPECTION DUE ON OR BEFORE 13-Jun-2018

Comments

No earth cross bonding on non of the lansdown flats..

Signatures

Issued by: Signed  Received by:  Date: 14-Jun-2017

Print Name: Darren Hall Print Name: Key address

Safety Inspection and reporting carried out in accordance with the Gas Safety (Installation and Use) Regulations and the Gas Industry Unsafe Situations Procedure.



AmberHeat (Stroud) Ltd

Company / Installer		Job Address		Customer / Landlord	
Engineer	Darren Hall	Name		Name	Mr David Michael
Company	AmberHeat (Stroud) Ltd	Address	5	Company	
Address	45 Gerald's Way		Coflats	Address	16
	Chalford		Sladbrook		Springhill
	Stroud		Stroud		Stroud
	Glos	Post Code	GL5 1QA		Glos
Post Code	GL6 8FJ	Tel. No		Post Code	GL5 1TN
Tel No.	07779284403			Tel. No	
Gas Safe Reg	546423				
ID Card No.					

Appliance Details										Inspection Details											
No.	Location	Appliance Type	Make	Model	Flue Type	Landlord's Appliance	Appliance Inspected	Operating Pressure (mbar)	Heat Input (kW/h)	High Combustion Reading			Low Combustion Reading			Safety device(s) correct operation	Ventilation Provision satisfactory	Visual condition of flue and termination satisfactory	Flue Performance test	Appliance Serviced	Appliance safe to use
										Ratio	CO ppm	CO2 %	Ratio	CO ppm	CO2 %						
1	Bathroom Compartment	Boiler	Worcester	Greenstar 24i Junior	RS	Yes	Yes	NA	23.74	.0009	92	9.8		4	8.8	Yes	Yes	Yes	Pass	Yes	Yes
2																					
3																					
4																					
5																					

Defects / Identified					Labels and Warning Notice Issued					CO Alarm(s)		Smoke Alarm(s)	
1	C/o levels out Adjusted back to MFI				No					CO Alarm(s) fitted	No	Smoke Alarm(s) fitted	Yes
2										CO Alarm(s) tested and Satisfactory	NA	Smoke Alarm(s) tested and Satisfactory	Pass
3													
4													
5													

Emergency Control Accessible <input checked="" type="checkbox"/>	Gas Tightness Satisfactory <input checked="" type="checkbox"/>	Comments
Gas Installation Pipework Visual Inspection Satisfactory <input checked="" type="checkbox"/>		
Gas Inlet Working Pressure at the Meter _____ mbars		
Number of Appliances Tested 1 Equipotential Bonding <input checked="" type="checkbox"/>		
NEXT INSPECTION DUE ON OR BEFORE 12-Jun-2018		

Signatures		Received		Date
Issued by: Signed		Signed by:		13-Jun-2017
Print Name	Darren Hall	Print Name	Key address	

Safety Inspection and reporting carried out in accordance with the Gas Safety (Installation and Use) Regulations and the Gas Industry Unsafe Situations Procedure.



AmberHeat (Stroud) Ltd

Company / Installer		Job Address		Customer / Landlord	
Engineer	Darren Hall	Name		Name	Mr David Michael
Company	AmberHeat (Stroud) Ltd	Address	flat 6	Company	
Address	45 Gerald's Way		59 Lansdown	Address	16
	Chalford		Stroud		Springhill
	Stroud		Glos		Stroud
	Glos	Post Code	GL5 1BN		Glos
Post Code	GL6 8FJ	Tel. No		Post Code	GL5 1TN
Tel No.	07779284403			Tel. No	
Gas Safe Reg	546423				
ID Card No.					

Appliance Details										Inspection Details											
No	Location	Appliance Type	Make	Model	Flue Type	Landlord's Appliance	Appliance Inspected	Operating Pressure (mbar)	Heat Input (kW/h)	High Combustion Reading			Low Combustion Reading			Safety device(s) correct operation	Ventilation Provision satisfactory	Visual condition of flue and termination satisfactory	Flue Performance test	Appliance Serviced	Appliance safe to use
										Ratio	CO ppm	CO2 %	Ratio	CO ppm	CO2 %						
1	Hall Cupboard	Boiler	Alpha	HE CB25	RS	Yes	Yes	NA	24.65	.0002	20	6.2		NA	NA	Yes	Yes	Yes	Pass	Yes	Yes
2																					
3																					
4																					
5																					

Defects / Identified					Labels and Warning Notice Issued			CO Alarm(s)		Smoke Alarm(s)	
1					No			CO Alarm(s) fitted	No	Smoke Alarm(s) fitted	Yes
2								CO Alarm(s) tested and Satisfactory	NA	Smoke Alarm(s) tested and Satisfactory	Pass
3											
4											
5											

Emergency Control Accessible <input checked="" type="checkbox"/>	Gas Tightness Satisfactory <input checked="" type="checkbox"/>	Comments
Gas Installation Pipework Visual Inspection Satisfactory <input checked="" type="checkbox"/>		
Gas Inlet Working Pressure at the Meter _____ mbars		
Number of Appliances Tested 1 Equipotential Bonding <input checked="" type="checkbox"/>		
NEXT INSPECTION DUE ON OR BEFORE 13-Jun-2018		

Signatures		Date	
Issued by: Signed 	Received Signed 	Date	14-Jun-2017
Print Name <input type="text" value="Darren Hall"/>	Print Name <input type="text" value="Key address"/>		

Safety Inspection and reporting carried out in accordance with the Gas Safety (Installation and Use) Regulations and the Gas Industry Unsafe Situations Procedure.



AmberHeat (Stroud) Ltd

Company / Installer		Job Address		Customer / Landlord	
Engineer	Darren Hall	Name		Name	Mr David Michael
Company	AmberHeat (Stroud) Ltd	Address	7	Company	
Address	45 Gerald's Way		Coflats	Address	16
	Chalford		Sladbrook		Springhill
	Stroud		Stroud		Stroud
	Glos	Post Code	GL5 1QA		Glos
Post Code	GL6 8FJ	Tel. No		Post Code	GL5 1TN
Tel No.	07779284403			Tel. No	
Gas Safe Reg	546423				
ID Card No.					

Appliance Details										Inspection Details											
No	Location	Appliance Type	Make	Model	Flue Type	Landlord's Appliance	Appliance Inspected	Operating Pressure (mbar)	Heat Input (kW/h)	High Combustion Reading			Low Combustion Reading			Safety device(s) correct operation	Ventilation Provision satisfactory	Visual condition of flue and termination satisfactory	Flue Performance test	Appliance Serviced	Appliance safe to use
										Ratio	CO ppm	CO2 %	Ratio	CO ppm	CO2 %						
1	Eves	Boiler	Worcester	Greenstar 24i Junior	RS	Yes	Yes	NA	23.74	.0008	72	9.8		4	8.8	Yes	Yes	Yes	Pass	Yes	Yes
2																					
3																					
4																					
5																					

Defects / Identified		Labels and Warning Notice Issued	CO Alarm(s)	Smoke Alarm(s)
1	C/o levels out Adjusted back to MFI	No	CO Alarm(s) fitted	No
2			CO Alarm(s) tested and Satisfactory	NA
3				
4				
5				

Emergency Control Accessible <input checked="" type="checkbox"/>	Gas Tightness Satisfactory <input checked="" type="checkbox"/>	Comments
Gas Installation Pipework Visual Inspection Satisfactory <input checked="" type="checkbox"/>		
Gas Inlet Working Pressure at the Meter _____ mbars		
Number of Appliances Tested 1 Equipotential Bonding <input checked="" type="checkbox"/>		
NEXT INSPECTION DUE ON OR BEFORE 12-Jun-2018		

Signatures		Date	
Issued by: Signed 	Received Signed by: 	Date	13-Jun-2017
Print Name: Darren Hall	Print Name: Key address		

Safety Inspection and reporting carried out in accordance with the Gas Safety (Installation and Use) Regulations and the Gas Industry Unsafe Situations Procedure.

AmberHeat (Stroud) Ltd

Company / Installer		Job Address		Customer / Landlord	
Engineer	Darren Hall	Name		Name	Mr David Michael
Company	AmberHeat (Stroud) Ltd	Address	flat 11	Company	
Address	45 Gerald's Way		59 Lansdown	Address	16
	Chalford		Stroud		Springhill
	Stroud		Glos		Stroud
	Glos	Post Code	GL5 1BN		Glos
Post Code	GL6 8FJ	Tel. No		Post Code	GL5 1TN
Tel No.	07779284403			Tel. No	
Gas Safe Reg	546423				
ID Card No.					

Appliance Details										Inspection Details												
No.	Location	Appliance Type	Make	Model	Flue Type	Landlord's Appliance	Appliance Inspected	Operating Pressure (mbar)	Heat Input (kW/h)	High Combustion Reading			Low Combustion Reading			Safety device(s) correct operation	Ventilation Provision satisfactory	Visual condition of flue and termination satisfactory	Flue Performance test	Appliance Serviced	Appliance safe to use	
										Ratio	CO ppm	CO2 %	Ratio	CO ppm	CO2 %							
1	Eves	Boiler	Alpha	HE CB25	RS	Yes	Yes	NA	24.95	.0011	52	6.3		NA	NA	Yes	Yes	Yes	Pass	No	Yes	
2																						
3																						
4																						
5																						

Defects / Identified					Labels and Warning Notice Issued			CO Alarm(s)		Smoke Alarm(s)	
1					No			CO Alarm(s) fitted	No	Smoke Alarm(s) fitted	Yes
2								CO Alarm(s) tested and Satisfactory	NA	Smoke Alarm(s) tested and Satisfactory	Pass
3											
4											
5											

Emergency Control Accessible Gas Tightness Satisfactory

Gas Installation Pipework Visual Inspection Satisfactory

Gas Inlet Working Pressure at the Meter _____ mbars



Number of Appliances Tested 1 Equipotential Bonding

NEXT INSPECTION DUE ON OR BEFORE 12-Jun-2018

Comments

No earth cross bonding at gas meter..

Signatures

Issued by: Signed  Received by:  Date: 13-Jun-2017

Print Name: Darren Hall Print Name: Key address

AmberHeat (Stroud) Ltd


Safety Inspection and reporting carried out in accordance with the Gas Safety (Installation and Use) Regulations and the Gas Industry Unsafe Situations Procedure.

Company / Installer Engineer: Darren Hall Company: AmberHeat (Stroud) Ltd Address: 45 Gerald's Way Chalford Stroud Glos Post Code: GL6 8FJ Tel No: 07779284403 Gas Safe Reg: 546423 ID Card No.	Job Address Name: Address: flat 12 59 Lansdown Stroud Glos Post Code: GL5 1BN Tel. No.	Customer / Landlord Name: Mr David Michael Company: Address: 16 Springhill Stroud Glos Post Code: GL5 1TN Tel. No.
--	--	---

Appliance Details										Inspection Details												
No	Location	Appliance Type	Make	Model	Flue Type	Landlord's Appliance	Appliance Inspected	Operating Pressure (mbar)	Heat Input (kW/h)	High Combustion Reading			Low Combustion Reading			Safety device(s) correct operation	Ventilation Provision satisfactory	Visual condition of flue and termination satisfactory	Flue Performance test	Appliance Serviced	Appliance safe to use	
										Ratio	CO ppm	CO2 %	Ratio	CO ppm	CO2 %							
1	Eves	Boiler	Alpha	HE CB25	RS	Yes	Yes	NA	24.95	.0003	21	5.7		NA	NA	Yes	Yes	Yes	Pass	No	Yes	
2																						
3																						
4																						
5																						

Defects / Identified	Labels and Warning Notice Issued	CO Alarm(s)	Smoke Alarm(s)										
<table border="1" style="width:100%; border-collapse: collapse;"> <tr><td>1</td><td></td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>3</td><td></td></tr> <tr><td>4</td><td></td></tr> <tr><td>5</td><td></td></tr> </table>	1		2	No	3		4		5			CO Alarm(s) fitted: No CO Alarm(s) tested and Satisfactory: NA	Smoke Alarm(s) fitted: Yes Smoke Alarm(s) tested and Satisfactory: Pass
1													
2	No												
3													
4													
5													

Emergency Control Accessible <input checked="" type="checkbox"/> Gas Tightness Satisfactory <input checked="" type="checkbox"/> Gas Installation Pipework Visual Inspection Satisfactory <input checked="" type="checkbox"/> Gas Inlet Working Pressure at the Meter _____ mbars Number of Appliances Tested: 1 Equipotential Bonding <input checked="" type="checkbox"/> NEXT INSPECTION DUE ON OR BEFORE: 12-Jun-2018	Comments No earth cross bonding at gas meter
---	--

Signatures Issued by: Signed  Print Name: Darren Hall	Received by: Signed _____ Print Name: Key address	Date: 13-Jun-2017
---	--	-------------------

AmberHeat (Stroud) Ltd



Safety Inspection and reporting carried out in accordance with the Gas Safety (Installation and Use) Regulations and the Gas Industry Unsafe Situations Procedure.

Company / Installer		Job Address		Customer / Landlord	
Engineer	Darren Hall	Name		Name	Mr David Michael
Company	AmberHeat (Stroud) Ltd	Address	flat 13	Company	
Address	45 Gerald's Way		59 Lansdown	Address	16
	Chalford		Stroud		Springhill
	Stroud		Glos		Stroud
	Glos	Post Code	GL5 1BN		Glos
Post Code	GL6 8FJ	Tel. No		Post Code	GL5 1TN
Tel No.	07779284403			Tel. No	
Gas Safe Reg	546423				
ID Card No.					

Appliance Details										Inspection Details											
No	Location	Appliance Type	Make	Model	Flue Type	Landlord's Appliance	Appliance Inspected	Operating Pressure (mbar)	Heat Input (kW/h)	High Combustion Reading			Low Combustion Reading			Safety device(s) correct operation	Ventilation Provision satisfactory	Visual condition of flue and termination satisfactory	Flue Performance test	Appliance Serviced	Appliance safe to use
										Ratio	CO ppm	CO2 %	Ratio	CO ppm	CO2 %						
1	Eves	Boiler	Alpha	HE CB25	RS	Yes	Yes	NA	24.95	.0004	30	65		NA	NA	Yes	Yes	Yes	Pass	No	Yes
2																					
3																					
4																					
5																					

Defects / Identified					Labels and Warning Notice Issued			CO Alarm(s)		Smoke Alarm(s)	
1					No			CO Alarm(s) fitted	No	Smoke Alarm(s) fitted	Yes
2								CO Alarm(s) tested and Satisfactory	NA	Smoke Alarm(s) tested and Satisfactory	Pass
3											
4											
5											

Emergency Control Accessible <input checked="" type="checkbox"/>	Gas Tightness Satisfactory <input checked="" type="checkbox"/>	Comments No earth cross bonding at gas meter..
Gas Installation Pipework Visual Inspection Satisfactory <input checked="" type="checkbox"/>		
Gas Inlet Working Pressure at the Meter _____ mbars		
Number of Appliances Tested 1 Equipotential Bonding <input checked="" type="checkbox"/>		
NEXT INSPECTION DUE ON OR BEFORE 12-Jun-2018		

Signatures		Date	
Issued by: Signed 	Received Signed 	Date	13-Jun-2017
Print Name <input type="text" value="Darren Hall"/>	Print Name <input type="text" value="Key address"/>		